

INTERGAstra  
committed to serve

VISI  
Trading distribusi



Years of Experience  
**43**



Happy Clients  
**2500+**



Professional Staffs  
**150+**

# Company Profile & Product Catalogue 2026



## PT. Intergastra Nusantara

Jl. Pangeran Jayakarta 24/34-35  
Jakarta 10730. Indonesia  
info@intergastra.co.id  
+62-21-6493880

We are medical equipment distribution company established since 1983. We are committed to serve you in providing comprehensive healthcare solutions. We are more than just a distributor; we are your partner in healthcare excellence.

# About Our Company

**P.T. INTERGASTRA NUSANTARA** was founded in Jakarta on November 5, 1983, by a team with extensive experience since the 1970s. Initially focusing on institutional projects for hospitals and hotels, the company specializes in designing, supplying, installing, and servicing complete kitchen, laundry, and sterilization systems. Leveraging strong relationships in the healthcare sector, P.T. INTERGASTRA Nusantara has expanded into medical consumables and other essential medical equipment.

**PT. VISI TRADING DISTRIBUSI** was established in Jakarta on September 26, 2011, as a subsidiary of P.T. INTERGASTRA Nusantara. The company specializes in providing comprehensive systems and solutions for hospitals, including laundry and sterilization, while also expanding into diverse technological innovation tailored to meet customer needs. PT. VISI TRADING DISTRIBUSI has expanded its reach nationwide, continuously enhancing its expertise.



*40th Years celebration of PT Intergastra Nusantara*

# Vision

To become a trusted distribution company in providing pre-sales and after-sales services in the eyes of customers and principals.

# Mission

To provide quality products and to nurture skilled and reliable talents.



# Our Products



# Our Clients



**Featured Product:**



**Aquadis 56M**

- Width of only 65 cm, fits up to 12 DIN trays.
- Faster processes by reducing fill, drain, and heat times.
- Removable spray arms and adjustable racks; accessories for lumen/cannulated/laparoscopic instruments.
- Manual folding glass door with a large display.
- 7-inch color touchscreen, on both sides for pass-through model.
- Complies with MDR 2017/745/EU, MD 2006/42/EC, EMC 2014/30/EU, IEC/UL/CSA 61010-1, IEC/UL/CSA 61010-2-040, ETL, EN/ISO 15883, ANSI/AAMI ST15883, WEEE 2012/19/EU, REACH 1907/2006/EU, RoHS 2011/65/EU + 2015/863/EU, ISO 14001, EN1717, ASME A112.1.2, DVGW, CBC 2016 (OPM-Aquadis 56). Additional anchorage accessories required.



Name	Specs	Price
Washer Disinfector 46-4	<ul style="list-style-type: none"> <li>• Single Door External Dimensions (WxDxH): 650 x 690 x 1860 mm</li> <li>• Capacity: 280 liters (201 liters effective)</li> <li>• Manual Single Door, 3-Level Rack, SS 316 Chamber</li> </ul>	Rp 1.012.600.000
Washer Disinfector Aquadis 56M	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 650 x 690 x 1950 mm</li> <li>• Capacity: 298 liters (229 liters effective)</li> <li>• Manual Single/Double Door, 5-Level Rack, SS 316 Chamber</li> </ul>	Rp 1.391.438.000
Washer Disinfector 86	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 1110 x 990 x 1960 mm</li> <li>• Capacity: 480 liters (351 liters effective)</li> <li>• Automatic Double Door, 6-Level Rack, SS 316 Chamber</li> </ul>	Rp 2.471.640.000

**Featured Product:**



- Autostart cleaning with controlled temperature
- Adjustable temperature: 40-60 °C (convertible to °F)
- Digital control unit with washable membrane keyboard and clear display
- 5 ultrasonic modes for tailored sound distribution
- Optical and acoustic feedback at cleaning end or temperature limit
- Adjustable cleaning time: 1 min - 6 hrs
- Electronic temperature control: 25-80 °C in 5 °C steps (convertible to °F, tolerance -5/+8 °C)
- Settings menu for device function adjustments
- Automatic safety shutdown after 8 hrs



Name	Specs	Price
Elmasonic Med 180	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 405 x 360 x 330 mm</li> <li>• Capacity: 14.2 liters</li> </ul>	Rp 142.600.001
Elmasonic Med 300	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 575 x 360 x 330 mm</li> <li>• Capacity: 22 liters</li> </ul>	Rp 152.300.000
Elmasonic Med 500	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 770 x 425 x 505 mm</li> <li>• Capacity: 40.3 liters</li> </ul>	Rp 213.200.000
Elmasonic Med 900	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 870 x 595 x 505 mm</li> <li>• Capacity: 63.7 liters</li> </ul>	Rp 378.100.000

**Featured Product:**



- Hoses are hung in a cassette during the drying process for easy water drainage.
- Dries twice as fast as integrated washer-disinfectors.
- Processes up to 36 hoses in one drying cycle.
- Drying time is selectable from 0 to 90 minutes.
- Getinge S-363 Drying Cabinet complies with the following standards:
  - ETL Standard: UL 3101-1
  - CAN/CSA C22.2 No. 1010.1
  - Declaration of Conformity SE 9815021F
  - EMC Standards: EN 50081-1, EN 50082-2



Name	Specs	Price
Getinge Drying Cabinet	<ul style="list-style-type: none"> <li>• External (WxDxH): 595 x 450 x 2175 mm</li> <li>• Body and Chamber: SS 304</li> <li>• Manual Single Door</li> <li>• 9-Level Rack</li> <li>• Equipped with electrostatic filter</li> </ul>	Rp 502.409.000

Name	Specs	Price
Getinge Dina Rinsing Gun	<ul style="list-style-type: none"> <li>• Anodized corrosion-resistant surface</li> <li>• High-strength aluminum-silicon alloy</li> <li>• Maximum pressure: 10 bar</li> <li>• Thermo-insulating silicone grip</li> <li>• Approx. Weight: 300 g</li> </ul>	Rp 42.082.200

## Featured Product:



**GSS67H Series**

- Machine dimensions with a width of only 90 cm
- Automatic vertical sliding and double doors
- Chamber material is Stainless Steel 316L
- 10" touchscreen panel
- Simultaneous linen and instrument programs available
- Vacuum process using a liquid ring
- Built-in boiler
- Complies with EN 285 standards



Name	Specs	Price
HS33 60	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 595 x 880 x 1575 mm,</li> <li>• Capacity: 60 liters, Chamber: SS 316, Manual Single Door</li> <li>• Integrated RO system, built-in electrical steam generator</li> </ul>	Rp 967.900.000
HS33 100	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 595 x 1250 x 1575 mm</li> <li>• Capacity: 100 liters, Chamber: SS 316, Manual Single Door</li> <li>• Integrated RO system, built-in electrical steam generator</li> </ul>	Rp 1.246.400.000
433HC-E	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 711 x 813 x 1867 mm</li> <li>• Capacity: 130 liters, Chamber &amp; Jacket &amp; Door: SS 316</li> <li>• Automatic Single Door, built-in boiler</li> </ul>	Rp 1.816.725.000
533 HC-E (Single Door)	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 762 x 1041 x 1867 mm</li> <li>• Capacity: 275 liters, Chamber &amp; Jacket &amp; Door: SS 316</li> <li>• Automatic Single Door, built-in boiler</li> </ul>	Rp 2.072.400.000
533 HC-E (Double Door)	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 762 x 1041 x 1867 mm</li> <li>• Capacity: 275 liters, Chamber &amp; Jacket &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp 2.641.450.000
Solsus 6610	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 900 x 1350 x 1980 mm</li> <li>• Capacity: 449 liters, Chamber &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp 1.979.100.000
Solsus 6613	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 900 x 1650 x 1980 mm</li> <li>• Capacity: 584 liters, Chamber &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp 2.043.298.000
Solsus 6617	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 900 x 2050 x 1980 mm</li> <li>• Capacity: 764 liters, Chamber &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp. 2.357.700.000
Solsus 6620	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 900 x 2350 x 1980 mm</li> <li>• Capacity: 899 liters, Chamber &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp 2.528.192.000
GSS67H10	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 900 x 1350 x 1980 mm</li> <li>• Capacity: 468 liters, Chamber &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp 2.996.700.000
GSS67H13	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 900 x 1650 x 1980 mm</li> <li>• Capacity: 609 liters, Chamber &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp 3.129.500.000
GSS67H17	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 900 x 2050 x 1980 mm</li> <li>• Capacity: 796 liters, Chamber &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp 3.564.000.000
GSS67H20	<ul style="list-style-type: none"> <li>• External Dimensions (WxDxH): 900 x 2350 x 1980 mm</li> <li>• Capacity: 937 liters, Chamber &amp; Door: SS 316</li> <li>• Automatic Double Door, built-in boiler</li> </ul>	Rp 3.759.400.000

**Featured Product:**



**Getinge Poladus 150  
VH2O2 Sterilizer**

- Getinge Poladus 150 VH<sub>2</sub>O<sub>2</sub> Sterilizer
- Equipped with a 10.1" color LCD touchscreen control panel
- Features hands-free operation with sensors located at the lower part of the sterilizer
- Includes a 2" printer for documentation
- Utilizes hydrogen peroxide for the sterilization process
- Uses a hydrogen peroxide vaporizer to ensure controlled injection into the chamber
- Equipped with a foot sensor, activated by a non-contact beam that detects the user's foot when placed in the recess at the bottom of the unit
- Comes with a front USB port for downloading cycle history
- Fitted with a HEPA filter to purify incoming atmospheric air within the chamber



Name	Specs	Price
Getinge Poladus 150 VH2O2 Sterilizer	<ul style="list-style-type: none"> <li>• External Dimensions (W × D × H): 785 × 920 × 1791 mm</li> <li>• Chamber Volume: 152 liters, rectangular design</li> <li>• Configuration: Single-door model with automatic vertical sliding door</li> <li>• Shelves: Equipped with 2 shelves</li> <li>• Loading Shelf Dimensions (H × W × D): 160 × 420 × 715 mm</li> <li>• Chamber Dimensions: W 475 × H 421 × D 761 mm</li> <li>• Chamber Material: Stainless Steel 316</li> <li>• Sterilization Temperature: 45–55 °C</li> <li>• Power Supply: 200–240 V, 1 Phase, 50/60 Hz</li> </ul>	Rp 2.530.600.000



# Ethylene Oxide Sterilizer

**Featured Product:**



**EOGAS 4**

- Space-saving Tabletop Design
- Unmatched Compatibility
- Sterilization and Aeration in the Same Chamber
- 3.5-Hour Cycle
- FDA 510(k) Cleared
- The Only System in the World Proven to Sterilize Long Lumens
- Max Length for Endoscopy is 3.5 Meters
- Sterilization with Flexible Chamber



Name	Specs	Price
Andersen EOGAS 4 + Abator	<ul style="list-style-type: none"> <li>• External Dimensions (LxHxD): 22 in x 28 in x 28.25 in</li> <li>• Volume Chamber: 100 L</li> <li>• Includes Abator</li> </ul>	Rp 2.054.700.000
Andersen EOGAS 4	<ul style="list-style-type: none"> <li>• External Dimensions (LxHxD): 22 in x 28 in x 28.25 in</li> <li>• Volume Chamber: 100 L</li> </ul>	Rp 1.586.347.000
Andersen EOGAS 3 + Abator	<ul style="list-style-type: none"> <li>• External Dimensions (LxHxD): 32 in x 35 in x 81 in</li> <li>• Volume Chamber: 934 L</li> <li>• Includes Abator</li> </ul>	Rp 2.637.632.000
Andersen EOGAS 3	<ul style="list-style-type: none"> <li>• External Dimensions (LxHxD): 32 in x 35 in x 81 in</li> <li>• Volume Chamber: 934 L</li> </ul>	Rp 2.339.822.000

## Featured Product:



- A neutral pH alkaline detergent containing protease, lipase, amylase, and cellulase enzymes. Fast-acting and capable of removing biofilm. Suitable for manual or automated cleaning of medical instruments.



## Enzymatic Plus

Name	Specs	Price
Getinge Clean Enzymatic Plus	<ul style="list-style-type: none"> <li>• Alkaline detergent with 4 enzymes for manual and automatic cleaning</li> <li>• 1 gallon = 5 liters</li> </ul>	Rp 2.836.000
Getinge Clean Rinse Aid	<ul style="list-style-type: none"> <li>• Surfactant for final rinse in washer-disinfector, prevents spots</li> <li>• (1 gallon = 5 liters)</li> </ul>	Rp 2.823.400
Getinge Clean Neutralizer Plus	<ul style="list-style-type: none"> <li>• Acidic solution for removing rust, scale, and stains from stainless steel instruments and washer-disinfector chambers</li> <li>• (1 gallon = 5 liters)</li> </ul>	Rp 3.432.000
Getinge Wash Monitor	<ul style="list-style-type: none"> <li>• Washing indicator for washer-disinfectors</li> <li>• 1 pack contains 50 pcs</li> </ul>	Rp 5.142.900
Getinge Wash Monitor Ultrasonic	<ul style="list-style-type: none"> <li>• Washing indicator for ultrasonic machines</li> <li>• 1 pack contains 50 pcs</li> </ul>	Rp 5.710.200
Getinge Bowie-Dick Mini Pack 134°C	<ul style="list-style-type: none"> <li>• For monitoring steam machines at 134°C (tests for air leaks and NCG)</li> <li>• Unique compact design, clear color change, space-saving, cost-effective, recordable, lead-free, non-toxic</li> <li>• 1 pack contains 30 pcs</li> </ul>	Rp 5.160.000
Getinge Assured Emulating Indicator 3.5 Min Adhesive	<ul style="list-style-type: none"> <li>• Type 6 sterilization indicator for steam sterilizers at 134°C with a 3.5-minute cycle. Monitors critical parameters including time, temperature, and steam. Features an adhesive backing for documentation purposes. 1 pack contains 250 pieces.</li> </ul>	Rp 2.398.710
Getinge Assured Multi-Parameter Indicator (EO)	<ul style="list-style-type: none"> <li>• Type 4 sterilization indicator for EO machines</li> <li>• 1 pack contains 250 strips</li> </ul>	Rp 1.135.001
Getinge Assured Plasma Indicator	<ul style="list-style-type: none"> <li>• Sterilization indicator for plasma machines (VH2O2)</li> <li>• 1 pack contains 250 strips</li> </ul>	Rp 2.176.000
Getinge Assured Self-Contained Biological Indicator (Steam)	<ul style="list-style-type: none"> <li>• Biological indicator (10<sup>5</sup> Geobacillus stearothermophilus) for steam sterilization</li> <li>• 24-hour incubation time</li> <li>• 1 pack contains 100 pcs</li> </ul>	Rp 10.220.880
Stericool H2O2 ST240	<ul style="list-style-type: none"> <li>• 240 mL; 59%</li> <li>• 24 cycles for 110 L / 20 cycles for 160 L</li> </ul>	Rp 5.710.600
Meditrax Label Steam	<ul style="list-style-type: none"> <li>• Indicator labels designed to identify instruments sterilized using steam. Feature dual adhesive sides for documentation purposes. Compatible with the Meditrax label applicator. 1 box contains 30 rolls (400 labels per roll)</li> </ul>	Rp. 14.910.000

## Featured Product:



**Sterilizing Pouches & Rolls**

- Clean peel
- Visual check of the seal
- Strong seals
- Sealed edges
- Easy handling
- Safe print design
- Manufacture traceability
- Process indicators
- Exclusive materials
- Compliant with norms and standards



Name	Specs	Price
<b>Flat Roll Pouches for steam and EO sterilization:</b>		
R39	• 5 cm x 200 m , 1 roll	Rp 546.000
R40	• 7.5 cm x 200 m , 1 roll	Rp 783.101
R41	• 10 cm x 200 m , 1 roll	Rp 984.001
R42	• 15 cm x 200 m , 1 roll	Rp 1.473.000
R43	• 20 cm x 200 m , 1 roll	Rp 1.900.000
R44	• 25 cm x 200 m , 1 roll	Rp 2.292.000
R45	• 30 cm x 200 m , 1 roll	Rp 2.939.100
R46	• 35 cm x 200 m , 1 roll	Rp 4.052.900
R47	• 40 cm x 200 m , 1 roll	Rp 4.149.000
<b>Gusset Roll Pouches with gusset for steam and EO sterilization:</b>		
RB 50	• 7.5 x 2 cm x 100 m , 1 roll	Rp 874.000
RB 51	• 10 x 5 cm x 100 m , 1 roll	Rp 1.044.300
RB 52	• 15 x 5 cm x 100 m , 1 roll	Rp 1.254.400
RB 53	• 20 x 5.5 cm x 100 m , 1 roll	Rp 1.531.600
RB 54	• 25 x 6.5 cm x 100 m , 1 roll	Rp 1.897.300
RB 55	• 30 x 8 cm x 100 m , 1 roll	Rp 2.174.400
RB 56	• 35 x 8 cm x 100 m , 1 roll	Rp 2.675.100
RB 57	• 40 x 8 cm x 100 m , 1 roll	Rp 2.752.100



# Sterilization Pouches & Rolls

Name	Specs	Price
<b>Tyvek Roll Pouches for plasma (VH2O2) sterilization:</b>		
LTR40	• 7.5 cm x 100 m , 1 roll	Rp 1.871.100
LTR41	• 10 cm x 100 m , 1 roll	Rp 2.331.300
LTR42	• 15 cm x 100 m , 1 roll	Rp 2.995.500
LTR43	• 20 cm x 100 m , 1 roll	Rp 3.998.900
LTR44	• 25 cm x 100 m , 1 roll	Rp 4.995.000
LTR45	• 30 cm x 100 m , 1 roll	Rp 5.990.600
LTR46	• 35 cm x 100 m , 1 roll	Rp 7.903.400
LTR47	• 40 cm x 100 m , 1 roll	Rp 9.031.501
LTR49	• 50 cm x 100 m , 1 roll	Rp 9.408.800
<b>Creped Paper (Green Color) Wrapping paper for steam and EO sterilization:</b>		
SPC50	• 50 X 50 cm, 500 sheets/pack	Rp 1.789.320
SPC75	• 75 x 75 cm , 250 sheets/pack	Rp 2.071.600
SPC100	• 100 x 100 cm , 250 sheets/pack	Rp 3.682.600
SPC120	• 120 x 120 cm , 100 sheets/pack	Rp 2.107.000
<b>Prowrap SMX-1 (Blue Light) Wrapping paper for plasma sterilization:</b>		
SMX1150	• 50 X 50 cm, 640 sheets/pack	Rp 4.417.800
SMX1100	• 100 x 100 cm , 160 sheets/pack	Rp 3.242.310
SMX1120	• 120 x 120 cm , 120 sheets/pack	Rp 3.195.300
<b>Indicator Tape</b>		
ITS19G	• Type 1 indicator tape for steam sterilization, 1 Box = 10 Roll	Rp 1.387.600
<b>Chemical Indicator</b>		
AC 250/500	• Type 4 indicator for steam sterilization, 250 strips/box	Rp 688.700
PL 500	• Type 1 indicator for plasma sterilization, 500 strips/box	Rp 2.360.600
<b>Sealer &amp; Dispenser</b>		
RS120A	• Rotosealer, 1 unit	Rp 58.124.400
RH900	• Roll holder & cutting, 1 unit	Rp 36.927.000

## Featured Product:



- Freestanding, high spin
- Oversized frame, bearings, and drum
- Easy access to all parts
- Large drain valves (2 x Ø 76 mm)
- Frequency-controlled motor
- Large door opening for easy loading and unloading
- Perforated lifting ribs: more mechanical action, lower water consumption
- USB & RS485 plug
- Soap dispenser with 5 removable compartments



Name	Specs	Price
Speed Queen Barrier SH180	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1455 × 900 × 1145 mm</li> <li>• Capacity: 18 kg, Electricity: 3x380-415V+N, 50/60 Hz</li> <li>• Heating Option: Electric or Steam, SS drum and tub</li> </ul>	Rp 606.000.000
Speed Queen Barrier SH280	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1455 × 1130 × 1145 mm</li> <li>• Capacity: 28 kg, Electricity: 3x380-415V+N, 50/60 Hz</li> <li>• Heating Option: Electric or Steam, SS drum and tub</li> </ul>	Rp 914000000
Speed Queen Barrier SMB 360	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1700 × 1270 × 980 mm</li> <li>• Capacity: 36 kg, Electricity: 3x380-415V, 50/60 Hz</li> <li>• Heating Option: Electric or hot water or steam</li> </ul>	Rp 1.350.000.000
Speed Queen Barrier SMB 500	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1700 × 1566 × 980 mm</li> <li>• Capacity: 50 kg, Electricity: 3x380-415V, 50/60 Hz</li> <li>• Heating Option: Electric or hot water or steam</li> </ul>	Rp 1.584.000.000
Speed Queen Barrier SMB 700	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1700 × 2032 × 980 mm</li> <li>• Capacity: 70 kg, Electricity: 3x380-415V, 50/60 Hz</li> <li>• Heating Option: Electric or hot water or steam</li> </ul>	Rp 1.888.000.000
Speed Queen Barrier SB 1100	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1880 × 2325 × 1605 mm</li> <li>• Capacity: 110 kg, Electricity: 3x380-480V/50-60 Hz</li> <li>• Heating Option: Electric or Steam, SS drum and tub</li> </ul>	Rp 3.560.000.000
Speed Queen Softmount SY 350	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1925 × 1315 × 1270 mm</li> <li>• Capacity: 35 kg, Electricity: 3x380-415V, 50/60 Hz</li> <li>• Heating Option: Electric or Steam or Hot Water</li> </ul>	Rp 718.000.000
Speed Queen Softmount SY 450	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1925 × 1315 × 1502 mm</li> <li>• Capacity: 45 kg, Electricity: 3x380-415V, 50/60 Hz</li> <li>• Heating Option: Electric or Steam or Hot Water</li> </ul>	Rp 950.000.000
Speed Queen Softmount SY 600	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1925 × 1315 × 1502 mm</li> <li>• Capacity: 60 kg, Electricity: 3x380-415V, 50/60 Hz</li> <li>• Heating Option: Electric or Steam or Hot Water</li> </ul>	Rp 1.218.000.000
Speed Queen Hardmount SC 060	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1267 × 866 × 1135 mm</li> <li>• Capacity: 27.2 kg, Electricity: 380-415 V, 50 -60 Hz, 3N AC</li> <li>• Heating Option: Electric or Steam</li> </ul>	Rp 396.000.000
Speed Queen Hardmount SC 080	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1453 × 1054 × 1196 mm</li> <li>• Capacity: 36.3 kg, Electricity: 380-415 V, 50 -60 Hz, 3N AC</li> <li>• Heating Option: Electric or Steam</li> </ul>	Rp 576.000.000
Speed Queen Hardmount SC 100	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1453 × 1054 × 1196 mm</li> <li>• Capacity: 45.4 kg, Electricity: 380-415 V, 50 -60 Hz, 3N AC</li> <li>• Heating Option: Electric or Steam</li> </ul>	Rp 677.000.000

## Featured Product:




**ST 120**

- Large cylinder
- Large door opening for easy loading and unloading
- Standard galvanized drum
- Unique drum support system
- Large lint filter
- Radial airflow
- Reversing standard: prevents tangling of linen
- High-performance heating
- Dual Digital Control



Name	Specs	Price
Speed Queen ST 055	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1700 × 875 × 1350 mm</li> <li>• Capacity: 24 kg, Electricity: 380V/50-60 Hz</li> <li>• Heating Option: Electric or Gas or Steam</li> </ul>	Rp 175.000.000
Speed Queen ST 075	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 1960 × 980 × 1350 mm</li> <li>• Capacity: 34 kg, Electricity: 380V/50-60 Hz</li> <li>• Heating Option: Electric or Gas or Steam,</li> </ul>	Rp 220.000.000
Speed Queen ST 120	<ul style="list-style-type: none"> <li>• External Dimensions (HxWxD): 2175 × 1170 × 1270 mm</li> <li>• Capacity: 55 kg, Electricity: 380V/50-60 Hz</li> <li>• Heating Option: Electric or Gas or Steam</li> </ul>	Rp 455.000.000

## Featured Product:



**FCS 2080/320**

- Large surface contact with linen over an angle of 300°
- Highly polished steel, thin cylinder
- Emergency button and main switch in one
- Finger protection bar for even more safety
- Durable M-Aramid ironing belts
- Extra heavy press roller for high-quality ironing
- Direct drive – maintenance-free system
- Central suction system
- Automatic cooldown
- Easy-to-operate microprocessor
- Preset temperature indicator
- Electric or gas heating
- Ergonomic design



Name	Specs	Price
Speed Queen I28 170	<ul style="list-style-type: none"> <li>• Roller Dimension: (HxWxD) : Length : 1700mm Diameter : 280mm, Speed: 1.6-4.4 m/min, Capacity: 32-50 kg/h, Listrik 400V/50Hz/3, Heating Option: Electric</li> </ul>	Rp 260.850.000
Speed Queen FCS 1664/320	<ul style="list-style-type: none"> <li>• Roller Dimension (Length x Diameter): 1664 mm x 320 mm</li> <li>• Speed: 1-6 m/min, Capacity: 62 kg/h, Electricity: 380-415V, 3AC-N, 50/60Hz</li> <li>• Heating Option: Electric or Gas</li> </ul>	Rp 381.150.000
Speed Queen FCS 2080/320	<ul style="list-style-type: none"> <li>• Roller Dimension (Length x Diameter): 2080 mm x 320 mm</li> <li>• Speed: 1-6 m/min, Capacity: 70 kg/h, Electricity: 380-415V, 3AC-N, 50/60Hz</li> <li>• Heating Option: Electric or Gas</li> </ul>	Rp 408.000.000
Speed Queen FCS 3200/500	<ul style="list-style-type: none"> <li>• Roller Dimension (Length x Diameter): 3200 mm x 502 mm</li> <li>• Speed: 1.5–8 m/min, Capacity (electric &amp; gas): 120 kg/h, Capacity (steam): 145 kg/h, Electricity: 380-415V, 3AC-N, 50/60Hz,</li> <li>• Heating Option: Electric or Gas or Steam</li> </ul>	Rp 1.107.000.000



# Presses for Laundry

## Featured Product:



The model LAV/R1 is available in both versions.  
Head closing options: either using 2 buttons alone, or 2 buttons with a head safety guard.

- Rectangular shapes
- High-grade nickel-plated head
- Head and buck are steam heated



Name	Specs	Price
PONY LAV-U	<ul style="list-style-type: none"> <li>• Dimensions: 1380 x 1140 x 1400 mm</li> <li>• Max load: 1340 x 1060 mm,</li> <li>• Electricity: 400V/3+N - 50 Hz</li> </ul>	Rp 462.251.000
PONY LAV-R1	<ul style="list-style-type: none"> <li>• Dimensions: 1670 x 1230 x 1500 mm</li> <li>• Max load: 1540 x 1100 mm</li> <li>• Electricity: 400V/3+N - 50 Hz</li> </ul>	Rp 346.566.000



# Patient Care and Safe Handling

## Featured Product:



- Safe Patient Handling
- Pressure Injury Prevention
- Early Mobilization
- Hygiene
- Medical Beds



Name	Specs	Price
<b>Patient Handling</b>		
Maxi 500 - Patient Lifter	<ul style="list-style-type: none"> <li>• For Geriatric Lab Learning, equipped with a weight scale</li> <li>• While lifting the patient, caregivers can clean the bed and change linens</li> <li>• Protecting caregivers by reducing excessive physical stress on the spine</li> </ul>	Rp 217.300.200
Maxi Move - Patient Lifter	<ul style="list-style-type: none"> <li>• Vertical lifting, Lifts patients stably, max weight: 227 kg</li> <li>• Can be used with a battery, lasting approximately 24 hours</li> </ul>	Rp 834.229.000
Carevo - Shower Trolley	<ul style="list-style-type: none"> <li>• Height adjustable</li> <li>• SWL: 200 kg + water, Max patient weight: 182 kg</li> <li>• Height – Low position: 605 – 955 mm</li> </ul>	Rp 350.000.000
Lifeguard 20	<ul style="list-style-type: none"> <li>• Safe working load: 180 kg (392 lbs.)</li> <li>• Lightweight with excellent maneuverability</li> <li>• Dual-side hydraulic foot pedals for height adjustment</li> <li>• Gas spring-assisted backrest adjustment (0 to 87°)</li> <li>• Fold-down stainless steel safety side rails</li> </ul>	Rp 165.921.200

Name	Specs	Price
<b>Flusher Disinfector</b>		
Top-Loaded Flusher Disinfector S-607	<ul style="list-style-type: none"> <li>External Dimensions (WxDxH): 590 x 660 x 1000–1060 mm</li> <li>Chamber Volume: 70 liters, Power Consumption: 0.16 kWh/cycle</li> </ul>	Rp 461.835.900
Ninjo Flusher Disinfector FD1600	<ul style="list-style-type: none"> <li>External Dimensions (WxDxH): 450 x 580 x 1320 mm</li> <li>Chamber Volume: 64 liters, Energy Consumption: 0.16 kWh/cycle</li> </ul>	Rp. 212.079.500
<b>Bed and Mattress</b>		
ALPHA ACTIVE 4	<ul style="list-style-type: none"> <li>CPR deflate, Max patient weight: 200 kg</li> <li>Active and passive modes</li> </ul>	Rp. 47.713.901
Essence 3000	<ul style="list-style-type: none"> <li>Manual hospital bed, Handle-wound crank mechanism</li> <li>Variable height adjustment, Safe and comfortable patient positioning</li> </ul>	Rp 26.952.300
Enterprise 8000	<ul style="list-style-type: none"> <li>Electric hospital bed with X-ray cassette</li> <li>Low height: 32 cm, 3 bed length extensions, Under-bed night light</li> </ul>	Rp 157.600.000
Enterprise 9000	<ul style="list-style-type: none"> <li>ICU bed with weight scale and X-ray cassette</li> <li>Under-bed anti-entrapment system &amp; bed exit alarm</li> <li>Low height: 32 cm, 3 bed length extensions, Under-bed night light</li> </ul>	Rp 251.758.200
Prioma 400	<ul style="list-style-type: none"> <li>5-crank electric hospital bed</li> <li>Safe working load: 250 kg</li> <li>ABS removable deck panels</li> <li>Retracting backrest</li> </ul>	Rp 54.127.100

## Featured Product:



- PLTS with Hybrid System
- Automatic Switch from PLTS to PLN
- Lithium Battery
- TKDN Panel & Battery
- SNI
- Population 500+ in Indonesia



Name	Specs	Price
SOLTERRA PLTS HYBRID 1.5KVA (Pustu)	• Solar Panel Solterra 550 Wp, 2 kW Hybrid Inverter, Lithium Battery with 2400 Wh Storage Capacity, Installation and Training Included	Rp 189.000.000
SOLTERRA PLTS HYBRID 10KVA PACKAGE 1	• Solterra 550 Wp Solar Panel, 2 kW & 3 kW Hybrid Inverters, Lithium Battery with 24000 Wh Storage Capacity, Installation and Training Included	Rp 787.000.000
SOLTERRA PLTS HYBRID 10KVA PACKAGE 2	• Solterra 550 Wp Solar Panel, 2 kW & 3 kW Hybrid Inverters, Lithium Battery with 33600 Wh Storage Capacity, Installation and Training Included	Rp 956.000.000
SOLTERRA PLTS HYBRID 10KVA PACKAGE 3	• Solterra 550 Wp Solar Panel, 2 kW & 3 kW Hybrid Inverters, Lithium Battery with 19200 Wh Storage Capacity, Installation and Training Included	Rp 708.000.000
SOLTERRA PLTS HYBRID 12KVA PACKAGE 1	• Solterra 550 Wp Solar Panel, 3 kW Hybrid Inverter, Lithium Battery with 24000 Wh Storage Capacity, Installation and Training Included	Rp 877.000.000
SOLTERRA PLTS HYBRID 12KVA PACKAGE 2	• Solterra 550 Wp Solar Panel, 3 kW Hybrid Inverter, Lithium Battery with 33,600 Wh Storage Capacity, Installation and Training Included	Rp1.014.000.000

## Featured Product:



**NW50**

- Homogeneous small-sized granules (waste residue)
- Reduces 20-25% of initial volume
- Reduces 70-75% of initial weight
- Programmable Logic Controller (PLC)
- Time-temperature flow recording (print)
- No environmental pollution



Name	Specs	Price
NEWSTER NW50	<ul style="list-style-type: none"> <li>• Capacity: 90-110 kg/h</li> <li>• Vessel Volume: 460 liters</li> <li>• Sterilizer Dimensions: 120 x 250 x 210 cm</li> <li>• Total Weight: 2700 kg</li> </ul>	Rp 5.670.510.000
NEWSTER NW15	<ul style="list-style-type: none"> <li>• Capacity: 30-40 kg/h</li> <li>• Vessel Volume: 170 liters</li> <li>• Sterilizer Dimensions: 100 x 200 x 160 cm</li> <li>• Total Weight: 1060 kg</li> </ul>	Rp 2.265.159.000



# Glucose Meter

## Featured Product:



- No Coding
- Automatic On/Off
- Reminder Alarm
- Results in 5 Seconds
- Sample 1 µl, 360 Results
- Average Results for 7, 14 & 28 Days



Name	Specs	Price
IVDX Glucose Meter	<ul style="list-style-type: none"> <li>• Measurement Time: 5 seconds, Storage: 360 results, Units: mmol/L or mg/dL</li> <li>• Dimensions: 86.2 mm x 54 mm x 20.5 mm (LxW xH), Weight: 36.1 grams (w/o battery)</li> <li>• 1 Lithium Battery 3.0V CR2032</li> <li>• Automatic On/Off</li> </ul>	Rp 331.700
IVDX Glucose Strip	<ul style="list-style-type: none"> <li>• Glucose Oxidase Biosensor</li> <li>• Measurement Range: 40-600 mg/dL</li> <li>• Hematocrit Range: 30 - 55%</li> <li>• Sample Volume: 1 µl Capillary Blood</li> </ul>	Rp 189.600



# Lipid Profile

## Featured Product:



- Stable liquid reagent
- Ready to use
- Stability: up to 24 months
- Mono Reagent composition
- Includes Standard



Name	Specs	Size	Price
IVDX HDL	<ul style="list-style-type: none"> <li>• Sample: Serum &amp; Plasma</li> <li>• Method: Precipitation CHOD-PAP</li> <li>• HDL-Cholesterol measurement up to 400 mg/dL, detection limit 2 mg/dL</li> </ul>	2 x 50 mL	Rp 499.600
		5 x 50mL	Rp 1.215.400



# Lipid Profile

Name	Specs	Size	Price
IVDX Cholesterol Total	<ul style="list-style-type: none"><li>• Includes Standard</li><li>• Sample: Serum &amp; Plasma</li><li>• Method: Enzymatic CHOD-PAP</li><li>• No interference: Ascorbic acid 6 mg/dL, Bilirubin 25 mg/dL, Hemoglobin 230 mg/dL</li><li>• Measurement linearity up to 750 mg/dL, detection limit 1 mg/dL</li></ul>	2 x 50mL	Rp 519.600
		4 x 200mL	Rp 3.855.000
		4 x 43mL	Rp 970.000
		4 x 60mL, Manual	Rp 1.143.000
		4 x 60mL, TRX	Rp 1.094.700
		4 x 80mL	Rp 1.609.001
		5 x 50mL	Rp 1.217.800
		6 x 20mL	Rp 728.000
		6 x 25mL	Rp 802.800
		6 x 40mL	Rp 1.194.000
IVDX HDL Direct	<ul style="list-style-type: none"><li>• BI Reagent</li><li>• Sample: Serum &amp; Plasma</li><li>• Method: Direct</li><li>• HDL-Cholesterol measurement up to 400 mg/dL, detection limit 2 mg/dL</li></ul>	3 x 200mL	Rp 34.724.500
		3 x 80mL	Rp 13.889.000
		4 x 20mL	Rp 5.210.200
		4 x 23mL	Rp 6.551.400
		4 x 36mL	Rp 7.507.800
		4 x 38 mL	Rp 9.074.400
		5 x 20mL	Rp 5.775.000
IVDX Triglycerides	<ul style="list-style-type: none"><li>• Includes Standard</li><li>• Sample: Serum &amp; Plasma</li><li>• Method: Enzymatic GPO</li><li>• No interference: Ascorbic acid 9 mg/dL, Conjugated Bilirubin 48 mg/dL, Unconjugated Bilirubin 10 mg/dL, Hemoglobin 300 mg/dL</li><li>• Measurement linearity up to 1000 mg/dL, detection limit 0.5 mg/dL</li></ul>	2 x 50mL	Rp 817.255
		4 x 200mL	Rp 7.055.000
		4 x 43mL	Rp 1.234.600
		4 x 60mL, Manual	Rp 1.549.001
		4 x 60mL, TRX	Rp 1.473.900
		4 x 80mL	Rp 2.464.300
		5 x 50mL	Rp 1.830.650
		6 x 20 mL	Rp 1.056.100
		6 x 25mL	Rp 1.108.600
		6 x 40mL	Rp 1.634.501
6 x 60mL	Rp 2.393.600		



# GLUCOSE GDH

## Featured Product:



- Fast and accurate in 5 seconds, requires only 0.6  $\mu$ L of blood, flexible for adults and neonates.

Name	Specs	Price
IVDX Glucometer 2.0 (GDH)	<ul style="list-style-type: none"> <li>• GDH-FAD enzyme, reminder alarm, requires only 0.6 <math>\mu</math>L, no coding required, can store up to 500 tests, displays results in 5 seconds, can show average values for 7, 14, 30, 60, and 90</li> </ul>	Rp 300.000
IVDX Glucose Strip - DxBG602S25	<ul style="list-style-type: none"> <li>• Contains 25 test strips, GDH enzyme, sample volume 0.6 <math>\mu</math>L, reading time 5 seconds, hematocrit range 0%–70%, operating temperature 5–45°C, storage temperature 2–30°C, measurement range 0.5–33.3 mmol/L (9–600 mg/dL), expiry date 24 months, and open vial stability 6 months.</li> </ul>	Rp 115.000



# GCU 3in1

## Featured Product:



- Fast and accurate in 5 seconds, used to detect glucose, cholesterol, and uric acid levels, flexible for adults and neonates.

Name	Specs	Size	Price
IVDx Glucose Strip 3in1	GDH-FAD enzyme, reminder alarm, requires only 0.8 $\mu$ L, no coding required, can store up to 600 tests, displays results in 5 seconds, can show average values for 7, 14, 30, 60, and 90 days, measurement range 20–600 mg/dL	25 pcs/Bottle	Rp 140.000
		50 pcs/Bottle	Rp 170.000
IVDx Cholesterol Strip 3in1	<ul style="list-style-type: none"> <li>• GDH-FAD enzyme, reminder alarm, requires only 2.5 <math>\mu</math>L, no coding required, can store up to 600 tests, displays results in 75 seconds, can show average values for 7, 14, 30, 60, and 90 days, measurement range 100–400 mg/dL.</li> </ul>	10 pcs/Bottle	Rp 250.000
		25 pcs/Bottle	Rp 350.000
		50 pcs/Bottle	Rp 800.000
IVDx Uric Acid Strip 3in1	<ul style="list-style-type: none"> <li>• GDH-FAD enzyme, reminder alarm, requires only 1.2 <math>\mu</math>L, no coding required, can store up to 600 tests, displays results in 15 seconds, can show average values for 7, 14, 30, 60, and 90 days, measurement range 3–20 mg/dL.</li> </ul>	25 pcs/Bottle	Rp 200.000
		50 pcs/Bottle	Rp 300.000

# Thank You

## Because, we're committed to serve

We'd love to hear from you! Whether you have questions, feedback, or need assistance, our team is here to help. Reach out to us via email or call us for a quick chat! You can also visit our office and we'll be happy to . We look forward to connecting with you!



### Address

Jl. Pangeran Jayakarta 24/34-35  
Jakarta 10730. Indonesia



### Telephone

+62-21-6493880



### Email

info@intergastra.co.id



### Website

<https://www.intergastra.co.id>